

THE SUBJECT PROPERTY IS NOT LOCATED
IN A SPECIAL FLOOD HAZARD AREA PER
F.I.R.M. NO. 21227C0320 E AND F.I.R.M. NO.
21227C0340 E, EFFECTIVE MAY 2, 2007.

THE PROPERTY DESCRIBED HEREON IS
SUBJECT TO ALL LEGAL EASEMENTS
AND RIGHTS--OF-WAY OF RECORD.

⑥ 5/8" REBAR SET W/CAP, P.I.S. NO. 1948
 ○ IRON REBAR FOUND
 ▲ STEEL STAKE FOUND
 ● CALCULATED POINT
 ☒ PROPOSED FIRE HYDRANT
 —6" W— WATER MAIN
 6" W TYPICAL WATERLINE EASEMENT
 W/L EASE. WATERLINE EASEMENT (5' EACH SIDE OF LINE)
 B.S.B.L. BUILDING SETBACK LINE
 P.U.E. PUBLIC UTILITY EASEMENT
 S/W EASE. SIDEWALK EASEMENT
 FFE=555.0 MINIMUM FINISH FLOOR ELEVATION
 —4' CONCRETE SIDEWALK

Ward
7m
2/19/04

STONE TRACE SUBDIVISION
REVISION OF LOT 10

FINAL PLAT
LOCATED ON U.S. 231 (SCOTTSVILLE ROAD)
AND OLD SCOTTSVILLE ROAD
SOUTHEAST OF BOWLING GREEN
WARREN COUNTY, KENTUCKY

02-15-2008 SHEET 1 of 5

BEi BRYANT
ENGINEERING W
INC.

Civil Engineering • Land Surveying

4215 Bentree Drive
P.O. Box 21382
Owensboro, Kentucky 42304
— 270-685-2811 —

I HEREBY CERTIFY THAT THIS PLAT DEPICTS A SURVEY, MADE BY ME OR UNDER MY DIRECTION, BY THE METHOD OF RANDOM TRAVERSE. THE BEARINGS AND DISTANCES SHOWN HEREON HAVE NOT BEEN ADJUSTED FOR CLOSURE. THIS SURVEY AND PLAT MEETS OR EXCEEDS THE MINIMUM STANDARDS OF GOVERNING AUTHORITIES. THE SURVEY SHOWN HEREON IS CLASS "A" SURVEY AND THE ACCURACY AND PRECISION OF SAID SURVEY MEETS ALL SPECIFICATIONS OF THIS CLASS. THE INFORMATION SHOWN HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF ACCORDING TO THE INFORMATION AVAILABLE TO ME.


 LICENSED PROFESSIONAL LAND SURVEYOR

I HEREBY CERTIFY THAT I AM THE OWNER OF THE PROPERTY SHOWN AND DESCRIBED HEREON AND THAT I HEREBY ADOPT THIS PLAN OF SUBDIVISION WITH MY FREE CONSENT, ESTABLISH THE MINIMUM BUILDING RESTRICTION LINES, AND DEDICATE ALL STREETS, ALLEYS, WALKS, PARKS, AND OTHER OPEN SPACES TO PUBLIC OR PRIVATE USE AS NOTED.

DATE 2/19/00 _____

DATE 9/1/82
OWNER SEPTONERZ LABS, INC DLR MEMPHIS

KY STATE PLANE COORDINATES, SOUTH ZONE, NAD 83			
POINT NUMBER	STATE PLANE COORDINATES		ELEV.
	NORTHING	EASTING	
7	1846319.97	1461012.25	564.57
9	1846291.55	1458905.09	566.56
CONC. MONUMENT W/ ALUM. DISK, STAMPED			
BRYANT ENGINEERING, OWENSBORO, KY			

(ZONED: RE)
FRONT YARD = 50 FEET (UNLESS OTHERWISE NOTED)
SIDE YARD = 10 FEET
REAR YARD = 25 FEET

ALL COMMON AREAS (LOTS 28, 32 & 40) ARE NON-BUILDING
LOTS OF RECORD, COMMON AREAS TO BE MAINTAINED BY THE
HOMEOWNERS ASSOCIATION.

LOTS 4 AND 5 SHALL HAVE NO DIRECT ACCESS TO STONE
TRACE DRIVE. ACCESS TO LOTS 4 AND 5 SHALL BE LIMITED TO
SEPTEMBER LAKES STREET.

LOT 10 OF STONE TRACE SUBDIVISION WAS PREVIOUSLY
RECORDED PLAT BOOK 38, PAGE 14-15.

LOTS 10-1 & 10-2 ARE NON-BUILDING LOTS OF RECORD TO BE
ADDED TO LOTS 4 & 5 OF SEPTEMBER LAKES SUBDIVISION.

PORTION OF PROPERTY WAS PERVIOUSLY RECORDED AS LOT 1 OF TRAVELSTED'S SCOTTVILLE RD. FARM SUBDIVISION IN MINOR BOOK 13, PAGE 154.

THE FRONT LOT CORNERS ARE MONUMENTED WITH A 25 FEET
REFERENCE POINT AS SHOWN HEREON. THE ACTUAL FRONT LOT
CORNERS ARE NOTED AS CALCULATED POINT.

SEPTEMBER LAKES, LLC
c/o MATTHEW COOK
P.O. BOX 50905
BOWLING GREEN, KY 42102

LOT 10--STONE TRACE SUBDIVISION
JACK, TRACY C. & JOE DOWNING
4863A SCOTTSVILLE ROAD
BOWLING GREEN, KY 42104
D.B. 882, PG. 396
P.B. 38, PG. 14-15

MAINTENANCE OF DRAINAGE STRUCTURES SHALL BE DEFINED AS MAINTAINING A SUBSTANTIAL STAND OF GRASS PERIODICALLY CUT TO A HEIGHT OF 5 INCHES, REPAIRING ERODED AREAS, AND REMOVING DEBRIS FROM INLET STRUCTURES.


MAINTENANCE OF "INTERPRETATIVE" ITEMS, INCLUDING BUT NOT LIMITED TO, LANDSCAPING ON RIGHT OF WAY, ISLANDS, MEDIANS, ENTRYWAY, SUBDIVISION SIGNS, TRAFFIC CONTROL FEATURES, TRAFFIC CIRCLES, ROUNDABOUTS SHALL NOT BE THE RESPONSIBILITY OF THE APPROPRIATE LOCAL GOVERNMENT. A PERPETUAL MAINTENANCE AGREEMENT MUST BE MADE WITH A HOMEOWNERS ASSOCIATION, ADJACENT LANDOWNERS, OR OTHER PARTIES. LOCAL GOVERNMENT HAS THE OPTION TO ENTER INTO SUCH AGREEMENTS.

DEED BOOK 939, PAGE 124
DEED BOOK 946, PAGE 944
DEED BOOK 946, PAGE 949

BINDING ELEMENTS:
DEED BOOK 945, PAGE 641

DECLARATION OF COVENANTS,
CONDITIONS AND RESTRICTION
DEED BOOK 965 PAGE 874

ON ALL LOTS, WARREN COUNTY WATER DISTRICT (W.C.W.D.) SHALL REVIEW AND APPROVE ALL SIDEWALK PLANS PRIOR TO SIDEWALK CONSTRUCTION.



1. LAND SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT DEPICTS A SURVEY, MADE BY ME OR UNDER MY DIRECTION, BY THE METHOD OF RANDOM TRAVERSE. THE BEARINGS AND DISTANCES SHOWN HEREON HAVE NOT BEEN ADJUSTED FOR CLOSURE. THIS SURVEY AND PLAT MEETS OR EXCEEDS THE MINIMUM STANDARDS OF GOVERNING AUTHORITIES. THE SURVEY SHOWN HEREIN IS CLASS "A" SURVEY AND THE ACCURACY AND PRECISION OF SAID SURVEY MEETS ALL SPECIFICATIONS OF THIS CLASS. THE INFORMATION SHOWN HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF ACCORDING TO THE INFORMATION AVAILABLE TO ME.

Donald R. Bryant
LICENSED PROFESSIONAL LAND SURVEYOR
1948 2/19/08
PLS# DATE

2. CERTIFICATE OF OWNERSHIP & DEDICATION

I HEREBY CERTIFY THAT I AM THE OWNER OF THE PROPERTY SHOWN AND DESCRIBED HEREON AND THAT I HEREBY ADOPT THIS PLAN OF SUBDIVISION WITH MY FREE CONSENT, ESTABLISH THE MINIMUM BUILDING RESTRICTIONS, LINES, AND DEDICATE ALL STREETS, ALLEYS, WALKS, PARKS, AND OTHER OPEN SPACES TO PUBLIC OR PRIVATE USE AS NOTED.

DATE 2/19/08

OWNER SEPTEMBER LAKES, LLC *John & Judy Poling*

JERRY & DEBORAH MYATT
D.B. 834, PG. 107

LEGEND



- 5/8" REBAR SET W/CAP, P.L.S. NO. 1948
- IRON REBAR FOUND
- STEEL STAKE FOUND
- CALCULATED POINT
- PROPOSED FIRE HYDRANT
- 6" W. WATER MAIN
- TYPICAL WATERLINE EASEMENT
- W/L EASE. WATERLINE EASEMENT (5' EACH SIDE OF LINE)
- B.S.B.L. BUILDING SETBACK LINE
- P.U.E. PUBLIC UTILITY EASEMENT
- S/W EASE. SIDEWALK EASEMENT
- FFE=555.0 MINIMUM FINISH FLOOR ELEVATION
- 4" CONCRETE SIDEWALK

JOHN & JUDY POLING
D.B. 891, PG. 220

BOOK 38 PAGE 319

THE SUBJECT PROPERTY IS NOT LOCATED IN A SPECIAL FLOOD HAZARD AREA PER F.I.R.M. NO. 21227C0320 E AND F.I.R.M. NO. 21227C0340 E, EFFECTIVE MAY 2, 2007.

THE PROPERTY DESCRIBED HEREON IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY OF RECORD.



September Lakes Subdivision

STONE TRACE SUBDIVISION
REVISION OF LOT 10


FINAL PLAT
LOCATED ON U.S. 231 (SCOTTSDALE ROAD)
AND OLD SCOTTSDALE ROAD
SOUTHEAST OF BOWLING GREEN
WARREN COUNTY, KENTUCKY

02-15-2008 SHEET 2 of 5

W.C.W.D. NOTE:

ON ALL LOTS, WARREN COUNTY WATER DISTRICT (W.C.W.D.) SHALL REVIEW AND APPROVE ALL SIDEWALK PLANS PRIOR TO SIDEWALK CONSTRUCTION.

GRAPHIC SCALE



BEI BRYANT ENGINEERING INC.
Civil Engineering • Land Surveying

4215 Bentree Drive
P.O. Box 21382
Owensboro, Kentucky 42304
270-685-2811

OWNER/DEVELOPER

SEPTEMBER LAKES, LLC
c/o MATTHEW COOK
P.O. BOX 50905
BOWLING GREEN, KY 42102

RECORD SOURCE

DEED BOOK 939, PAGE 124
DEED BOOK 946, PAGE 944
DEED BOOK 946, PAGE 949

MINIMUM BUILDING SETBACK LINES

(ZONED: RE)
FRONT YARD = 50 FEET (UNLESS OTHERWISE NOTED)
SIDE YARD = 10 FEET
REAR YARD = 25 FEET

NOTE:

ALL COMMON AREAS (LOTS 28, 32 & 40) ARE NON-BUILDING LOTS OF RECORD, COMMON AREAS TO BE MAINTAINED BY THE HOMEOWNERS ASSOCIATION.
LOTS 4 AND 5 SHALL HAVE NO DIRECT ACCESS TO STONE TRACE DRIVE. ACCESS TO LOTS 4 AND 5 SHALL BE LIMITED TO SEPTEMBER LAKES STREET.
THE FRONT LOT CORNERS ARE MONUMENTED WITH A 25 FEET REFERENCE POINT AS SHOWN HEREON. THE ACTUAL FRONT LOT CORNERS ARE NOTED AS CALCULATED POINT.

M.J. 2007 - 187 - CO.

TOTAL AREA - 100.808 ACRES
SEPTEMBER LAKES SUBDIVISION

FRONT LOT CORNER
MONUMENTATION
NOT TO SCALE

MAINTENANCE NOTE:


MAINTENANCE OF DRAINAGE STRUCTURES SHALL BE DEFINED AS MAINTAINING A SUBSTANTIAL STAND OF GRASS PERIODICALLY CUT TO A HEIGHT OF 5 INCHES, REPAIRING ERODED AREAS, AND REMOVING DEBRIS FROM INLET STRUCTURES.

MAINTENANCE OF "INTERPRETATIVE" ITEMS, INCLUDING BUT NOT LIMITED TO, LANDSCAPING ON RIGHT OF WAY, ISLANDS, MEDIANS, ENTRYWAY, SUBDIVISION SIGNS, TRAFFIC CONTROL FEATURES, TRAFFIC CIRCLES, ROUNDABOUTS SHALL NOT BE THE RESPONSIBILITY OF THE APPROPRIATE LOCAL GOVERNMENT. A PERPETUAL MAINTENANCE AGREEMENT MUST BE MADE WITH A HOMEOWNERS ASSOCIATION, ADJACENT LANDOWNERS, OR OTHER PARTIES. LOCAL GOVERNMENT HAS THE OPTION TO ENTER INTO SUCH AGREEMENTS.

M.P.B. 13, PG. 154
DENNIS & LORI CAUSEY
D.B. 891, PG. 187

COMMON AREA


STAGECOACH SPRINGS SUBD.
P.B. 29, PG. 174-176



VICINITY MAP

THE SUBJECT PROPERTY IS NOT LOCATED
IN A SPECIAL FLOOD HAZARD AREA PER
F.I.R.M. NO. 21227C0320 E AND F.I.R.M. NO.
21227C0340 E, EFFECTIVE MAY 2, 2007.
THE PROPERTY DESCRIBED HEREON IS
SUBJECT TO ALL LEGAL EASEMENTS
AND RIGHTS-OF-WAY OF RECORD.

JOSEPH ZAYDON, M.D.
D.B. 703, PG. 691



FRONT LOT CORNER
MONUMENTATION
NOT TO SCALE

JOSEPH ZAYDON, M.D.
D.B. 703, PG. 691

LEGEND


- 5/8" REBAR SET W/CAP, P.L.S. NO. 1948
- IRON REBAR FOUND
- STEEL STAKE FOUND
- CALCULATED POINT
- PROPOSED FIRE HYDRANT
- WATER MAIN
- TYPICAL WATERLINE EASEMENT
- W/L EASE. WATERLINE EASEMENT (5' EACH SIDE OF LINE)
- B.S.B.L. BUILDING SETBACK LINE
- P.U.E. PUBLIC UTILITY EASEMENT
- S/W EASE. SIDEWALK EASEMENT
- MINIMUM FINISH FLOOR ELEVATION
- 4' CONCRETE SIDEWALK

September Lakes Subdivision

STONE TRACE SUBDIVISION
REVISION OF LOT 10

FINAL PLAT
LOCATED ON U.S. 231 (SCOTTSVILLE ROAD)
AND OLD SCOTTSVILLE ROAD
SOUTHEAST OF BOWLING GREEN
WARREN COUNTY, KENTUCKY

02-15-2008 SHEET 3 of 5



BEI BRYANT
ENGINEERING INC.
Civil Engineering • Land Surveying
4215 Bentree Drive
P.O. Box 21382
Owensboro, Kentucky 42304
270-685-2811

M.J. 2007 - 187 - CO.

TOTAL AREA - 100.608 ACRES
SEPTEMBER LAKES SUBDIVISION

1. LAND SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT DEPICTS A SURVEY, MADE BY ME OR
UNDER MY DIRECTION, BY THE METHOD OF RANDOM TRANSVERSE. THE
BEARINGS AND DISTANCES SHOWN HEREON HAVE NOT BEEN ADJUSTED
FOR CLOSURE. THIS SURVEY AND PLAT DEPICTS OR EXCEEDS THE MINIMUM
STANDARDS OF GOVERNING AUTHORITIES. THE SURVEY SHOWN HEREON IS
CLASS "A" SURVEY AND THE ACCURACY AND PRECISION OF SAID
SURVEY MEETS ALL SPECIFICATIONS OF THIS CLASS. THE INFORMATION
SHOWN HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE
AND BELIEF ACCORDING TO THE INFORMATION AVAILABLE TO ME.

[Signature]
LICENSED PROFESSIONAL LAND SURVEYOR
1948 2/19/08

2. CERTIFICATE OF OWNERSHIP & DEDICATION

I HEREBY CERTIFY THAT I AM THE OWNER OF THE PROPERTY SHOWN AND
DESCRIBED HEREON AND THAT I HEREBY ADOP THIS PLAN OF SUBDIVISION
WITH MY FREE CONSENT, ESTABLISH THE MINIMUM BUILDING RESTRICTION
LINES, AND DEDICATE ALL STREETS, ALLEYS, WALKS, PARKS, AND OTHER
OPEN SPACES TO PUBLIC OR PRIVATE USE AS NOTED.

DATE 2/19/08
OWNER SEPTEMBER LAKES, LLC

CONTROL POINTS

KY STATE PLANE COORDINATES, SOUTH ZONE, NAD 83			
POINT	STATE PLANE COORDINATES		ELEV.
NUMBER	NORTHING	EASTING	
7	1846319.97	1461012.25	564.57
9	1846291.55	1458905.09	566.56
CONC. MONUMENT W/ ALUM. DISK, STAMPED			
BRYANT ENGINEERING, OWENSBORO, KY			

MINIMUM BUILDING
SETBACK LINES

(ZONED: RE)
FRONT YARD = 50 FEET (UNLESS OTHERWISE NOTED)
SIDE YARD = 10 FEET
REAR YARD = 25 FEET

NOTE:

ALL COMMON AREAS (LOTS 28, 32 & 40) ARE NON-BUILDING
LOTS OF RECORD, COMMON AREAS TO BE MAINTAINED BY THE
HOMEOWNERS ASSOCIATION.
LOTS 4 AND 5 SHALL HAVE NO DIRECT ACCESS TO STONE
TRACE DRIVE. ACCESS TO LOTS 4 AND 5 SHALL BE LIMITED TO
SEPTEMBER LAKES STREET.

THE FRONT LOT CORNERS ARE MONUMENTED WITH A 25 FEET
REFERENCE POINT AS SHOWN HEREON. THE ACTUAL FRONT LOT
CORNERS ARE NOTED AS CALCULATED POINT.

OWNER/DEVELOPER

SEPTEMBER LAKES, LLC
c/o MATTHEW COOK
P.O. BOX 50905
BOWLING GREEN, KY 42102
LOT 10 - STONE TRACE SUBDIVISION
JACK, TRACY C. & JOE DOWNING
4863A SCOTTSVILLE ROAD
BOWLING GREEN, KY 42104
D.B. 882, PG. 396
P.B. 38, PG. 14-15

RECORD SOURCE

DEED BOOK 939, PAGE 124
DEED BOOK 946, PAGE 944
DEED BOOK 946, PAGE 949
BINDING ELEMENTS:
DEED BOOK 945, PAGE 641
DECLARATION OF COVENANTS,
CONDITIONS AND RESTRICTIONS:
DEED BOOK 965 PAGE 874

MAINTENANCE NOTE:

MAINTENANCE OF DRAINAGE STRUCTURES SHALL BE DEFINED AS
MAINTAINING A SUBSTANTIAL STAND OF GRASS PERIODICALLY CUT TO A
HEIGHT OF 5 INCHES, REPAIRING ERODED AREAS, AND REMOVING DEBRIS
FROM INLET STRUCTURES.

MAINTENANCE OF "INTERPRETATIVE" ITEMS, INCLUDING BUT NOT LIMITED TO,
LANDSCAPING ON RIGHT OF WAY, ISLANDS, MEDIANS, ENTRYWAY,
SUBDIVISION SIGNS, TRAFFIC CONTROL FEATURES, TRAFFIC CIRCLES,
ROUNDBOUTS SHALL NOT BE THE RESPONSIBILITY OF THE APPROPRIATE
LOCAL GOVERNMENT. A PERPETUAL MAINTENANCE AGREEMENT MUST BE
MADE WITH A HOMEOWNERS ASSOCIATION, ADJACENT LANDOWNERS, OR
OTHER PARTIES. LOCAL GOVERNMENT HAS THE OPTION TO ENTER INTO SUCH
AGREEMENTS.

1. LAND SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT DEPICTS A SURVEY, MADE BY ME OR UNDER MY DIRECTION, BY THE METHOD OF RANDOM TRAVERSE. THE BEARINGS AND DISTANCES SHOWN HEREON HAVE NOT BEEN ADJUSTED FOR CLOSURE. THIS SURVEY AND PLAT MEETS OR EXCEEDS THE MINIMUM STANDARDS OF GOVERNING AUTHORITIES. THE SURVEY SHOWN HEREON IS CLASS "A" SURVEY AND THE ACCURACY AND PRECISION OF SAID SURVEY MEETS ALL SPECIFICATIONS OF THIS CLASS. THE INFORMATION SHOWN HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF ACCORDING TO THE INFORMATION AVAILABLE TO ME.

[Signature]
 LICENSED PROFESSIONAL LAND SURVEYOR
 1948
 DATE 2/19/08

2. CERTIFICATE OF OWNERSHIP & DEDICATION

I HEREBY CERTIFY THAT I AM THE OWNER OF THE PROPERTY SHOWN AND DESCRIBED HEREON AND THAT I HEREBY ADOPT THIS PLAN OF SUBDIVISION WITH MY FREE CONSENT, ESTABLISH THE MINIMUM BUILDING RESTRICTIONS, LINES, AND DEDICATE ALL STREETS, ALLEYS, WALKS, PARKS, AND OTHER OPEN SPACES TO PUBLIC OR PRIVATE USE AS NOTED.

DATE 2/19/08
 OWNER SEPTEMBER LAKES, LLC *[Signature]*


BOOK 38 PAGE 321

PEARSON LANE

CONTROL POINTS

POINT NUMBER	STATE PLANE COORDINATES, SOUTH ZONE, NAD 83	ELEV.
7	1846319.97	1461012.25
9	1846291.55	1458905.09

CONC. MONUMENT W/ ALUM. DISK, STAMPED
 BRYANT ENGINEERING, OWENSBORO, KY



FRONT LOT CORNER MONUMENTATION

NOT TO SCALE

LEGEND


- 5/8" REBAR SET W/CAP, P.L.S. NO. 1948
- IRON REBAR FOUND
- STEEL STAKE FOUND
- CALCULATED POINT
- PROPOSED FIRE HYDRANT
- 6" W. WATER MAIN
- TYPICAL WATERLINE EASEMENT
- W/L EASE. WATERLINE EASEMENT (5' EACH SIDE OF LINE)
- B.S.B.L. BUILDING SETBACK LINE
- P.U.E. PUBLIC UTILITY EASEMENT
- S/W EASE. SIDEWALK EASEMENT
- FFE=535.0 MINIMUM FINISH FLOOR ELEVATION
- 4' CONCRETE SIDEWALK

September Lakes Subdivision

STONE TRACE SUBDIVISION
 REVISION OF LOT 10

FINAL PLAT
 LOCATED ON U.S. 231 (SCOTTSDALE ROAD)
 AND OLD SCOTTSDALE ROAD
 SOUTHEAST OF BOWLING GREEN
 WARREN COUNTY, KENTUCKY

02-15-2008 SHEET 4 of 5



BEI BRYANT ENGINEERING INC.
 Civil Engineering - Land Surveying
 4215 Benttree Drive
 P.O. Box 21382
 Owensboro, Kentucky 42304
 270-685-2811

W.C.W.D. NOTE:
 ON ALL LOTS, WARREN COUNTY WATER DISTRICT (W.C.W.D.) SHALL REVIEW AND APPROVE ALL SIDEWALK PLANS PRIOR TO SIDEWALK CONSTRUCTION.

OWNER/DEVELOPER

SEPTEMBER LAKES, LLC
 c/o MATTHEW COOK
 P.O. BOX 50905
 BOWLING GREEN, KY 42102

RECORD SOURCE

DEED BOOK 939, PAGE 124
 DEED BOOK 946, PAGE 944
 DEED BOOK 946, PAGE 949

BINDING ELEMENTS:
 DEED BOOK 945, PAGE 641
 DECLARATION OF COVENANTS,
 CONDITIONS AND RESTRICTIONS:
 DEED BOOK 965 PAGE 874

MINIMUM BUILDING SETBACK LINES

(ZONED: RE)
 FRONT YARD = 50 FEET (UNLESS OTHERWISE NOTED)
 SIDE YARD = 10 FEET
 REAR YARD = 25 FEET

NOTE:

ALL COMMON AREAS (LOTS 28, 32 & 40) ARE NON-BUILDING LOTS OF RECORD, COMMON AREAS TO BE MAINTAINED BY THE HOMEOWNERS ASSOCIATION.
 LOTS 4 AND 5 SHALL HAVE NO DIRECT ACCESS TO STONE TRACE DRIVE. ACCESS TO LOTS 4 AND 5 SHALL BE LIMITED TO SEPTEMBER LAKES STREET.
 THE FRONT LOT CORNERS ARE MONUMENTED WITH A 25 FEET REFERENCE POINT AS SHOWN HEREON. THE ACTUAL FRONT LOT CORNERS ARE NOTED AS CALCULATED POINT.

TOTAL AREA - 100.808 ACRES
 SEPTEMBER LAKES SUBDIVISION

MAINTENANCE NOTE:

MAINTENANCE OF DRAINAGE STRUCTURES SHALL BE DEFINED AS MAINTAINING A SUBSTANTIAL STAND OF GRASS PERIODICALLY CUT TO A HEIGHT OF 5 INCHES, REPAIRING ERODED AREAS, AND REMOVING DEBRIS FROM INLET STRUCTURES.
 MAINTENANCE OF "INTERPRETATIVE" ITEMS, INCLUDING BUT NOT LIMITED TO, LANDSCAPING ON RIGHT OF WAY, ISLANDS, MEDIANS, ENTRYWAY, SUBDIVISION SIGNS, TRAFFIC CONTROL FEATURES, TRAFFIC CIRCLES, ROUNDABOUTS SHALL NOT BE THE RESPONSIBILITY OF THE APPROPRIATE LOCAL GOVERNMENT. A PERPETUAL MAINTENANCE AGREEMENT MUST BE MADE WITH A HOMEOWNERS ASSOCIATION, ADJACENT LANDOWNERS, OR OTHER PARTIES. LOCAL GOVERNMENT HAS THE OPTION TO ENTER INTO SUCH AGREEMENTS.

1. LAND SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT DEPICTS A SURVEY MADE BY ME OR UNDER MY DIRECTION, BY THE METHOD OF RANDOM TRAVERSE, THE BEARINGS AND DISTANCES SHOWN HEREON HAVE NOT BEEN ADJUSTED FOR CLOSURE. THIS SURVEY AND PLAT MEETS OR EXCEEDS THE MINIMUM STANDARDS OF GOVERNING AUTHORITIES. THE SURVEY SHOWN HEREON IS CLASS "A" SURVEY AND THE ACCURACY AND PRECISION OF SAID SURVEY MEETS ALL SPECIFICATIONS OF THIS CLASS. THE INFORMATION SHOWN HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF ACCORDING TO THE INFORMATION AVAILABLE TO ME.

Shall Z. Byrd
 LICENSED PROFESSIONAL LAND SURVEYOR
 1948 2/19/08
 PL# DATE

2. CERTIFICATE OF OWNERSHIP AND DEDICATION

I HEREBY CERTIFY THAT I AM THE OWNER OF THE PROPERTY SHOWN AND DESCRIBED HEREON AND THAT I HEREBY ADOPT THIS PLAN OF SUBDIVISION WITH MY FREE CONSENT, ESTABLISH THE MINIMUM BUILDING RESTRICTION LINES, AND DEDICATE ALL STREETS, ALLEYS, WALKS, PARKS, AND OTHER OPEN SPACES TO PUBLIC OR PRIVATE USE AS NOTED.

DATE 2/19/08 20
 OWNER SEPTEMBER LAKES, LLC
 OWNER *DLA* *Rumsey*

3. EASEMENT DEDICATION

THE SPACES OUTLINED BY DASHED LINES AND DESIGNATED AS EASEMENTS ARE HEREBY RESERVED FOR THE PURPOSES SHOWN, INCLUDING THE RIGHT OF INGRESS AND EGRESS OVER ALL LOTS TO AND FROM EASEMENTS AND THE RIGHT TO CUT DOWN OR TRIM ANY TREES WITHIN OR WITHOUT THE EASEMENTS THAT MAY INTERFERE WITH THE INSTALLATION OR OPERATION OF THE LINES. THE EASEMENTS SHALL BE KEPT FREE OF ALL PERMANENT CONSTRUCTION.

OWNER SEPTEMBER LAKES, LLC
 OWNER *DLA* *Rumsey*

4. COUNTY ENGINEER

ALL DRAINAGE EASEMENTS ARE DEDICATED TO WARREN COUNTY. ALL DRAINAGE SHALL BE MAINTAINED BY THE RESPECTIVE OWNER(S) OF THE LOTS OVER WHICH EASEMENTS CROSS AND NO DRAINAGE EASEMENT SHALL BE ALTERED IN ANY WAY BY FILLING, CHANGING THE CONTOUR THEREOF, OR BY BUILDING AN ANY STRUCTURE THEREON, EXCEPT UPON PRIOR WRITTEN APPROVAL OF THE APPROPRIATE GOVERNMENTAL AUTHORITY. THIS RESTRICTION MAY BE ENFORCED BY ANY OWNER OF ANY LOT AFFECTED BY THE DRAINAGE OVER SAID EASEMENT, OR BY THE CITY/COUNTY PLANNING COMMISSION ENGINEER.

- WHERE NECESSARY ENTRANCE AND/OR DRIVEWAYS TO LOTS SHALL BE CONSTRUCTED WITH A MINIMUM OF ONE (1) LINEAR FEET OF FIFTEEN (15) INCH DIAMETER ENTRANCE PIPE. THE END OF THE ENTRANCE PIPE SHALL TERMINATE THREE (3) FEET BACK FROM THE PROPERTY LINE.
- GRADING WITHIN THE DEVELOPED AREA SHALL BE PERFORMED IN SUCH A MANNER THAT NO EXCESS WATER WILL BE DIVERTED TO THE CITY/COUNTY ROAD RIGHT-OF-WAY WITHOUT APPROVAL OF CITY/COUNTY ENGINEER.

THIS PROPERTY HAS PUBLIC ACCESS TO COUNTY ROAD.
Shall Z. Byrd 2-19-08
 SIGNATURE TITLE DATE


5. WARREN COUNTY WATER DISTRICT

THE WARREN COUNTY WATER DISTRICT HAS EXAMINED THIS PLAT AND, REGARDING THE SERVICES TO BE PROVIDED BY THE WATER DISTRICT, ACCEPTABLE EASEMENTS HAVE BEEN DESIGNATED FOR THE CONSTRUCTION AND MAINTENANCE OF EXISTING OR PROPOSED WATER AND/OR SEWER LINES DISCLOSED ON THIS PLAT.

NO EXAMINATION OR REPRESENTATION IS MADE BY THE WATER DISTRICT AS TO THE FLOW AVAILABILITY OF WATER OR SEWER SERVICES TO THE PROPERTY. THAT EITHER WATER OR SEWER SERVICES CAN BE EXTENDED, OR THAT SERVICES PROPOSED ON THIS PLAT ARE IN PLACE OR WILL BE PROVIDED.

Jim K. D'Amico 2/18/08
 SIGNATURE TITLE DATE

PERMITTED ACCESS ENVELOPES DENOTE THE AREA IN WHICH DRIVE ENTRANCES SHALL BE CONSTRUCTED. DRIVE ENTRANCE WIDTHS ARE TO CONFORM TO THE CITY OF BOWLING GREEN ACCESS MANAGEMENT GUIDELINES.



PERMITTED ACCESS ENVELOPE DETAIL
 NOT TO SCALE

6. ATMOS ENERGY CO.

Atmos Energy Co. 2-19-08
 SIGNATURE TITLE DATE

AT&T TELEPHONE CO.

At&T Telephone Co. 18 Feb 08
 SIGNATURE TITLE DATE

8. W.R.E.C.C. OR WARREN RURAL ELEC. COOP.

Warren Rural Elec. Coop. 2-19-08
 SIGNATURE TITLE DATE

9. INSIGHT COMMUNICATIONS (CABLE T.V.)

Insight Communications 2-19-08
 SIGNATURE TITLE DATE

10. BARREN RIVER DISTRICT HEALTH DEPT.

- ☐ PUBLIC SEWER REQUIRED.
- ☐ ON EXISTING PUBLIC SEWER.
- ☐ HAS EXISTING PRIVATE SEWER SYSTEM.
- ☒ ON SITE SEWAGE PRIVATE DISPOSAL SYSTEM TO SERVICED ANY PROPOSED CONSTRUCTION/RESIDENCE SHALL BE PURSUANT TO THE CURRENT STATE SUB-SURFACE SEWAGE DISPOSAL REGULATIONS AND SHALL BE PERMITTED THROUGH THIS OFFICE PRIOR TO INSTALLATION OF THE SYSTEM.

Barren River District Health Dept. 2-19-08
 SIGNATURE TITLE DATE

11. CITY-COUNTY PLANNING COMMISSION CERTIFICATION OF APPROVAL OF RECORDING

I HEREBY CERTIFY THAT THE SUBDIVISION PLAT SHOWN HEREON HAS BEEN FOUND TO COMPLY WITH THE SUBDIVISION REGULATIONS OF THE CITY-COUNTY PLANNING COMMISSION OF WARREN COUNTY, KENTUCKY, WITH THE EXCEPTION OF SUCH VARIANCES, IF ANY, AS ARE NOTED IN THE MINUTES OF THE PLANNING COMMISSION AND THAT IT HAS BEEN APPROVED FOR RECORDING IN THE OFFICE OF THE COUNTY CLERK.

DATE 2-19-08
William J. Rimmer
 CHAIRMAN-CITY/COUNTY PLANNING COMMISSION OF WARREN CO., KY.
Shall Z. Byrd
 EXECUTIVE DIRECTOR

CONTROL POINTS

KY STATE PLANE COORDINATES, SOUTH ZONE, NAD 83			
POINT NUMBER	STATE PLANE COORDINATES		ELEV.
	NORTHING	EASTING	
7	1846319.97	1461012.25	564.57
9	1846291.55	1458905.09	566.56
CONC. MONUMENT W/ ALUM. DISK, STAMPED			
BRYANT ENGINEERING, OWENSBORO, KY			

STATEMENT OF BINDING ELEMENTS DEED BOOK 945, PAGE 641-649

- Each residence within the development shall have a minimum of 2,400 square feet of living space, with the first floor having a minimum of 1,800 square feet. Any living space constructed within any basement, garage, or porch, any floor space in any bonus room with a ceiling height of less than six feet (6'), and any covered outdoor living space shall be excluded from the square footage calculation.
- Exteriors of all structures shall consist of brick, stone, dryvit, cement based siding, wood siding, man-made stone shall extend to grade for residence constructed with siding materials. All garage entries shall be side or rear loaded. All accessory or detached structures shall complement the material used in the primary structure. All structures and plot plans shall be approved by the developer or its assigns. The existing barn shall be excluded from these requirements. Vinyl material is permitted at eaves and undersides of porches.
- All driveways within the development shall be constructed with concrete, brick pavers, and/or bituminous surfaces. All driveway tiles or pipes shall require the installation of headwalls at each end of the pipe and shall be constructed with a material and pattern to be identified by the developer.
- Any propane gas tanks installed within the development shall be installed underground.

BOOK 38 PAGE 322 DRAINAGE EASEMENT LINE TABLE

LINE	BEARING	DISTANCE
D1	N 45°03'37" W	52.20'
D2	N 73°04'11" W	46.49'
D3	N 57°45'42" W	90.20'
D4	N 60°59'46" W	110.97'
D5	N 61°46'46" W	58.09'
D6	N 42°38'45" W	46.57'
D7	N 16°35'08" E	62.84'
D8	N 41°03'56" E	68.62'
D9	N 89°04'03" E	68.00'
D10	N 44°10'46" E	35.41'
D11	N 68°46'02" E	28.09'
D12	S 67°15'45" E	98.02'
D13	S 06°58'11" W	54.06'
D14	S 65°21'24" E	46.45'
D15	S 28°58'27" E	54.78'
D16	S 13°08'38" E	61.07'
D17	S 16°42'48" W	14.25'

LINE	BEARING	DISTANCE
D1	N 60°32'11" E	39.24'
D2	N 05°08'15" W	22.23'
D3	N 30°25'41" E	56.61'
D4	N 43°54'13" E	56.41'
D5	N 72°45'13" E	100.52'
D6	S 58°16'45" E	62.02'
D7	S 08°59'52" W	56.84'
D8	S 67°18'04" W	20.67'
D9	S 24°58'23" W	120.97'
D10	S 56°25'50" W	83.35'
D11	N 79°32'48" W	31.87'
D12	N 45°01'16" W	69.07'
D13	N 05°08'15" W	22.22'

LINE	BEARING	DISTANCE
D1	S 69°07'55" W	35.35'
D2	S 31°22'44" W	8.97'
D3	S 58°42'05" W	57.33'
D4	S 65°50'22" W	26.70'
D5	N 74°34'08" W	23.84'
D6	N 41°52'55" W	25.89'
D7	S 69°43'00" W	57.46'
D8	N 21°25'22" W	20.00'
D9	N 69°43'00" E	53.11'
D10	N 18°46'23" W	19.64'
D11	N 00°23'33" E	52.08'
D12	N 30°05'05" E	20.22'
D13	N 43°22'53" E	22.89'
D14	N 16°36'51" E	32.89'
D15	N 71°58'29" E	88.60'

LINE	BEARING	DISTANCE
D1	S 27°02'44" W	168.93'
D2	S 54°40'55" W	100.14'
D3	N 73°28'58" W	17.08'
D4	N 24°03'05" W	27.65'
D5	N 12°47'49" E	85.02'

LINE	BEARING	DISTANCE
D1	S 06°22'26" W	76.93'
D2	S 17°23'51" W	137.96'
D3	S 35°32'38" W	67.05'
D4	S 51°57'53" W	93.14'
D5	S 65°49'07" W	99.29'
D6	N 88°23'20" W	40.69'
D7	S 46°32'55" W	35.63'
D8	N 04°09'25" E	142.98'
D9	N 17°23'52" W	72.78'
D10	N 01°47'33" E	36.63'
D11	N 70°48'10" E	61.73'
D12	N 71°30'13" E	75.46'
D13	N 58°26'31" E	115.68'
D14	N 54°12'06" E	51.66'
D15	S 89°25'39" E	41.28'
D16	S 24°18'20" E	45.64'

LINE	BEARING	DISTANCE
D1	S 76°34'24" E	34.17'
D2	S 18°21'24" W	71.30'
D3	S 43°33'12" W	76.57'
D4	S 64°21'07" W	162.77'
D5	S 74°18'04" W	32.28'
D6	N 75°22'10" W	35.70'
D7	N 38°49'52" W	35.98'
D8	N 06°45'08" E	39.57'
D9	N 25°23'50" E	68.25'
D10	N 37°03'50" E	68.21'
D11	N 49°18'33" E	65.72'
D12	N 70°13'34" E	62.52'
D13	S 18°38'58" E	23.60'
D14	S 52°02'19" E	72.55'

LINE	BEARING	DISTANCE
D1	S 27°55'48" W	65.99'
D2	S 43°49'59" W	58.22'
D3	S 74°31'50" W	33.57'
D4	S 47°30'26" W	58.21'
D5	S 19°41'20" W	57.49'
D6	N 19°52'50" E	78.21'
D7	N 02°12'43" E	96.07'

CURVE TABLE

CURVE	RADIUS	LENGTH	BEARING	CHORD
C1	1575.00'	277.73'	N 45°56'29" E	277.37'
C2	1575.00'	160.28'	N 53°53'30" E	160.21'
C3	1575.00'	143.84'	N 59°25'24" E	143.79'
C4	925.00'	136.57'	N 57°48'36" E	136.44'
C5	20.00'	29.89'	S 83°36'40" E	27.18'
C6	825.00'	105.22'	S 44°27'23" E	105.15'
C7	825.00'	144.68'	S 53°08'03" E	144.49'
C8	825.00'	75.72'	S 60°47'14" E	75.69'
C9	275.00'	136.39'	S 49°00'01" E	136.93'
C10	275.00'	109.92'	S 23°07'57" E	109.19'
C11	325.00'	64.27'	S 17°20'46" E	64.16'
C12	325.00'	34.15'	S 26°01'17" E	34.14'
C13	275.00'	18.07'	S 27°08'59" E	18.07'
C14	275.00'	26.94'	S 22°27'41" E	26.93'
C15	20.00'	31.42'	N 25°20'41" E	28.28'
C16	3200.00'	46.04'	N 70°45'25" E	46.04'
C17	3200.00'	132.01'	N 72°21'03" E	132.00'
C18	3200.00'	133.01'	N 74°43'25" E	133.00'
C19	3200.00'	103.10'	N 78°50'14" E	103.10'
C20	540.00'	10.81'	N 77°11'13" E	10.81'
C21	540.00'	208.33'	N 65°33'40" E	207.04'
C22	540.00'	203.32'	N 43°43'21" E	202.12'
C23	540.00'	214.74'	N 21°32'37" E	213.33'
C24	20.00'	29.81'	N 52°50'48" E	27.12'
C25	575.00'	57.99'	S 81°34'07" E	57.97'
C26	82.00'	69.80'	S 46°25'39" E	66.17'
C27	53.00'	82.43'	S 58°43'57" E	74.37'
C28	53.00'	42.54'	N 53°43'04" E	41.41'
C29	53.00'	42.54'	N 07°43'51" E	41.41'
C30	53.00'	48.99'	N 41°44'35" W	47.26'
C31	825.00'	17.79'	N 69°02'21" W	17.79'
C32	825.00'	87.61'	N 73°51'58" W	87.44'
C33	825.00'	71.79'	N 81°10'02" W	71.75'
C34	20.00'	29.81'	N 41°45'45" W	27.12'
C35	540.00'	49.08'	N 01°40'14" W	49.06'
C36	423.00'	144.52'	N 05°40'19" E	143.82'
C37	423.00'	201.79'	N 29°07'33" E	199.88'
C38	423.00'	109.09'	N 50°10'49" E	108.79'
C39	473.00'	279.34'	S 40°36'46" W	275.30'
C40	473.00'	229.65'	S 09°47'05" W	227.40'
C41	490.00'	701.57'	S 36°44'35" W	643.16'
C42	20.00'	31.42'	N 57°14'23" W	28.28'
C43	1250.00'	78.84'	N 14°02'48" W	78.82'
C44	1250.00'	94.68'	N 18°01'24" W	94.65'
C45	63.00'	12.73'	N 14°24'13" W	12.71'
C46	63.00'	85.45'	N 21°08'46" E	82.54'
C47	75.00'	94.18'	N 14°58'03" E	88.11'
C48	75.00'	73.86'	N 49°15'07" W	70.91'
C49	75.00'	55.58'	S 81°18'17" W	54.32'
C50	75.00'	73.33'	S 32°03'51" W	70.45'
C51	75.00'	39.43'	S 11°00'31" E	38.98'
C52	1200.00'	38.65'	S 25°08'52" E	38.65'
C53	1200.00'	151.89'	S 20°35'57" E	151.79'
C54	1200.00'	99.13'	S 14°36'23" E	99.11'
C55	20.00'	31.42'	S 32°45'37" W	28.28'
C56	3250.00'	137.27'	S 76°33'01" W	137.26'
C57	3250.00'	159.83'	S 73°55'53" W	159.82'
C58	3250.00'	123.53'	S 71°28'01" W	123.53'
C59	20.00'	28.14'	N 69°20'37" W	25.86'
C60	275.00'	83.28'	N 20°21'24" W	82.98'
C61	325.00'	135.11'	N 23°35'27" W	134.14'
C62	325.00'	100.40'	N 44°21'01" W	100.00'
C63	325.00'	57.95'	N 58°18'31" W	57.87'
C64	775.00'	127.59'	N 58°42'28" W	127.24'
C65	775.00'	163.33'	N 47°57'42" W	163.02'
C66	40.00'	58.95'	N 00°17'35" E	53.76'
C67	50.00'	44.05'	N 17°16'16" E	42.64'
C68	50.00'	52.38'	N 37°58'05" W	50.00'
C69	50.00'	54.83'	S 80°36'53" W	52.13'
C70	875.00'	130.64'	S 59°12'28" W	130.52'
C71	875.00'	39.01'	S 60°45'44" W	39.01'
C72	1625.00'	138.62'	S 59°35'45" W	138.58'
C73	1625.00'	257.33'	S 52°36'55" W	257.08'
C74	1625.00'	204.37'	S 44°28'34" W	204.23'
C75	225.00'	185.68'	N 84°23'58" E	181.96'
C76	175.00'	168.68'	N 70°11'28" E	162.23'
C77	225.00'	47.89'	S 88°24'30" E	47.80'

LINE TABLE

LINE	BEARING	DISTANCE
L1	N 29°55'24" W	54.96'
L2	S 41°11'36" W	11.37'
L3	S 41°11'36" W	91.93'
L4	N 51°46'47" W	12.39'
L5	N 40°52'23" E	10.70'
L6	N 34°54'46" E	77.04'
L7	N 40°52'23" E	1